

Customer		Purchase Details	
Name of sender:		Administrator:	
Institute / Company:		Invoice department:	
Department:		Invoice address:	
Shipment address:		Zip / City:	
Zip / City:		Country:	
Country:		e-mail address:	
e-mail address:		Phone number:	
Phone number:		VAT:	
Fax number:		Your Order:	
Other contact person: e-mail address:		Your customer N <sup>o</sup> (if known)	
		Your PO N <sup>o</sup> (if required)	

**Please Note:** Only biological sample material classified laboratory containment level 1 or 2 can be accepted. We do not test clinical samples. Please contact us for further information. **No samples are accepted unless Minerva Analytix receives this signed form.**

**Sample preparation:** Depending on service selection (see page 2) up to 2000 µl of native sample is required for analysis and should be taken under sterile conditions. For the Virus Diagnostic Service DNA and RNA extraction is obligatory and included in the charge.

Label the tubes properly. Enclose with all samples a completed copy of this form sheet. Ship native samples with cool packs or on dry ice. Use overnight services. Label all tubes and containers properly. Enclose with all samples a completed copy of this form sheet. Package your samples in a secondary packaging (e.g. put sample tubes into a zipper bag or 50 ml tube) and protect them from crushing.

I would like to receive my results as following:  E-mail and regular mail  Fax

I accept the general terms and conditions		To be filled out by Minerva Analytix	
Name:		Registration No:	
Signature:		Time of registration:	
Date: __/__/____		Date of registration: __/__/____	

N <sup>o</sup>	Sample Code	Validation-N <sup>o</sup> <input type="checkbox"/> N/A N/A falls nicht Validiert	Date sample preparation	SARS-CoV (Screen)	SARS-CoV-2 (Direct)
				41-1008	41-1009
1				<input type="checkbox"/>	<input type="checkbox"/>
2				<input type="checkbox"/>	<input type="checkbox"/>
3				<input type="checkbox"/>	<input type="checkbox"/>
4				<input type="checkbox"/>	<input type="checkbox"/>
5				<input type="checkbox"/>	<input type="checkbox"/>
6				<input type="checkbox"/>	<input type="checkbox"/>
7				<input type="checkbox"/>	<input type="checkbox"/>
8				<input type="checkbox"/>	<input type="checkbox"/>
9				<input type="checkbox"/>	<input type="checkbox"/>
10				<input type="checkbox"/>	<input type="checkbox"/>
11				<input type="checkbox"/>	<input type="checkbox"/>
12				<input type="checkbox"/>	<input type="checkbox"/>
13				<input type="checkbox"/>	<input type="checkbox"/>
14				<input type="checkbox"/>	<input type="checkbox"/>
15				<input type="checkbox"/>	<input type="checkbox"/>
16				<input type="checkbox"/>	<input type="checkbox"/>
17				<input type="checkbox"/>	<input type="checkbox"/>
18				<input type="checkbox"/>	<input type="checkbox"/>
19				<input type="checkbox"/>	<input type="checkbox"/>
20				<input type="checkbox"/>	<input type="checkbox"/>

Please ship your samples to the address below

**Minerva Analytix GmbH**
 Ladestraße 6  
 D-15834 Rangsdorf  
 Germany

© 2020 Minerva Analytix GmbH / F4.10-02.v3EN

info@minerva-analytix.com

www.minerva-analytix.com